


TEST REPORT


Customer information	Client	Mid Ocean Brands B.V.
	Address	Unit 711- 716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.
Sample information	Name of sample	Weather station w/bamboo front
	Test Model No.	MO9959
	Trade mark	N/A
	Manufacturer	114628
Test information	Sample received	December 22, 2025
	Testing date	December 22, 2025 to December 26, 2025
	Test sort	Commission Test
	Requested/item	RoHS directive 2011/65/EU Annex II amending Annex(EU)2015/863. (1) Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs Content. (2) Di-(2-ethylhexyl) phthalate(DEHP), Benzylbutyl phthalate(BBP), Dibutyl phthalate(DBP), Disobutyl phthalate(DIBP) Content.
	Standard/ Foundation	(1)With reference to IEC 62321-3-1:2013, scanning by XRF Spectroscopy Chemical test method: With reference to IEC 62321-5:2013, determination of Cadmium, lead by ICP With reference to IEC 62321-4:2013+AMD1:2017, determination of Mercury by ICP With reference to IEC 62321-7-2:2017&IEC 62321-7-1:2015, determination of Hexavalent Chromium by Colorimetric method. With reference to IEC 62321-6:2015 determination of PBBs and PBDEs by GC-MS (2)With reference to IEC 62321-8:2017, and analysis was performed by GC-MS.
	Conclusion	(1)The tested sample complied with RoHS directive (2011/65/EU). (2)The tested part of submitted sample complied with directive (EU)2015/863
Remark	----	

Tested By:



Date: 2025/12/26

Checked By:



Date: 2025/12/26

Approved By:



Date: 2025/12/26

SHENZHEN SIT TESTING TECHNOLOGY CO LTD.

Room 401, A2 Building, The 2nd Industrial Zone of ZhuAo, GuShu Village, XiXiang Town, BaoAn District, ShenZhen
Hotline:400-6633-940 Tel: +86-755-29173399 FAX: +86-755-29179933 <http://www.sit-cert.com>

Test result: 1. Structural parts

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
1	Yellow double adhesive faced tape	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
2	White plastic shell	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
3	Bamboo shell	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
4	Grey soft plastic button	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
5	Red rubber strap	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
6	Black rubber sheet	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P

SHENZHEN SIT TESTING TECHNOLOGY CO LTD.

Room 401, A2 Building, The 2nd Industrial Zone of ZhuAo, GuShu Village, XiXiang Town, BaoAn District, ShenZhen
Hotline:400-6633-940 Tel: +86-755-29173399 FAX: +86-755-29179933 <http://www.sit-cert.com>

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
7	Silver screw	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
8	Black foam block	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
9	White plastic film	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
10	Glass screen	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
11	Red plastic wire skin	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
12	Silver metal wire	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/

SHENZHEN SIT TESTING TECHNOLOGY CO LTD.

Room 401, A2 Building, The 2nd Industrial Zone of ZhuAo, GuShu Village, XiXiang Town, BaoAn District, ShenZhen
Hotline:400-6633-940 Tel: +86-755-29173399 FAX: +86-755-29179933 <http://www.sit-cert.com>

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
13	White plastic wire skin	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
14	Solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
15	Silver metal sheet	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
16	Silver metal spring	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
17	Silver metal component	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
18	Silver metal pin	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
19	Green PCB board	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
20	Silver coating	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
21	Black glue	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
22	Silver metal feet	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
23	Solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
24	White porcelain pieces	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
25	Silver metal sheet	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
26	Feet solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
27	Silver metal pin	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
28	Feet solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
29	Black chip resistor	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
30	Grey inductor	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P

SHENZHEN SIT TESTING TECHNOLOGY CO LTD.

Room 401, A2 Building, The 2nd Industrial Zone of ZhuAo, GuShu Village, XiXiang Town, BaoAn District, ShenZhen
Hotline:400-6633-940 Tel: +86-755-29173399 FAX: +86-755-29179933 <http://www.sit-cert.com>

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
31	Black glue	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
32	White inductor	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
33	Feet solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
34	Solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
35	Diode	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
36	Grey inductor	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
37	Black plastic shell	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
38	Black magnet	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
39	Silver metal board	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
40	Solder	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/
41	Green PCB board	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
42	Silver metal sheet	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/

SHENZHEN SIT TESTING TECHNOLOGY CO LTD.

Room 401, A2 Building, The 2nd Industrial Zone of ZhuAo, GuShu Village, XiXiang Town, BaoAn District, ShenZhen
Hotline:400-6633-940 Tel: +86-755-29173399 FAX: +86-755-29179933 <http://www.sit-cert.com>

No.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of Testing (mg/kg)	Chemical testing limit (mg/kg)	Conclusion (P/F)
43	Blue plastic shell	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	P	N.D.	<1000	P
		PBDEs	P	N.D.	<1000	P
44	Copper wire	Cd	P	N.D.	<100	P
		Cr(VI)	P	N.D.	<1000	P
		Hg	P	N.D.	<1000	P
		Pb	P	N.D.	<1000	P
		PBBs	/	/	<1000	/
		PBDEs	/	/	<1000	/

Remark:

- It is the result on total Br while test PBBs and PBDEs by EDXRF. It is the result on total Cr while test Hexavalent Chromium by EDXRF.
- Results are obtained by EDXRF for primary screening, and chemical testing by ICP (for Cd, Pb, Hg), UV-VIS (Cr(VI)) and GCMS (for PBBs, PBDEs) is recommended to be performed.
-

Element	Polymer	Metal	Composite Materials
Cd	$P \leq 70 - 3\sigma < D < 130 + 3\sigma \leq F$	$P \leq 70 - 3\sigma < D < 130 + 3\sigma \leq F$	$P \leq 50 - 3\sigma < D < 150 + 3\sigma \leq F$
Pb	$P \leq 700 - 3\sigma < D < 1300 + 3\sigma \leq F$	$P \leq 700 - 3\sigma < D < 1300 + 3\sigma \leq F$	$P \leq 500 - 3\sigma < D < 1500 + 3\sigma \leq F$
Hg	$P \leq 700 - 3\sigma < D < 1300 + 3\sigma \leq F$	$P \leq 700 - 3\sigma < D < 1300 + 3\sigma \leq F$	$P \leq 500 - 3\sigma < D < 1500 + 3\sigma \leq F$
Br	$P \leq 300 - 3\sigma < D$	----	$P \leq 250 - 3\sigma < D$
Cr	$P \leq 700 - 3\sigma < D$	$P \leq 700 - 3\sigma < D$	$P \leq 500 - 3\sigma < D$

P = PASS; F = FAIL; D = DETECTED;

- mg/kg = ppm; N.D. = NOT DETECTED (<MDL) Pb, Cd, Hg, Cr(VI): 2mg/kg; PBBs, PBDEs: 5mg/kg
- With reference to IEC 62321:-7-1:2015, result on Cr (VI) for metal sample is shown as Positive/Negative.
Positive = Presence of Cr(VI) coating, Negative = Absence of Cr(VI) coating
- *According to Annex III of European Council Directive 2011/65/EU, Lead in copper alloy containing up to 4% lead by weight.
- **According to Annex III of European Council Directive 2011/65/EU, Lead in steel alloy containing up to 0.35% lead by weight.
- #According to Annex III of European Council Directive 2011/65/EU, Cadmium and its compounds in electrical contacts is exempted.

SHENZHEN SIT TESTING TECHNOLOGY CO LTD.

Room 401, A2 Building, The 2nd Industrial Zone of ZhuAo, GuShu Village, XiXiang Town, BaoAn District, ShenZhen
Hotline: 400-6633-940 Tel: +86-755-29173399 FAX: +86-755-29179933 <http://www.sit-cert.com>

(3) DEHP, BBP, DBP, DIBP

ITEM \ SAMPLE No.	SAMPLE CONCENTRATION (mg/kg)					MDL (mg/kg)	REQUIRED LIMIT (mg/kg)
	1	2	3	4	5		
Di-2-ethylhexyl phthalate (DEHP)	ND	ND	ND	ND	ND	30	1000
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	30	1000
Benzylbutyl phthalate (BBP)	ND	ND	ND	ND	ND	30	1000
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	30	1000

ITEM \ SAMPLE No.	SAMPLE CONCENTRATION (mg/kg)					MDL (mg/kg)	REQUIRED LIMIT (mg/kg)
	6	8	9	10	11		
Di-2-ethylhexyl phthalate (DEHP)	ND	ND	ND	ND	ND	30	1000
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	30	1000
Benzylbutyl phthalate (BBP)	ND	ND	ND	ND	ND	30	1000
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	30	1000


ITEM \ SAMPLE No.	SAMPLE CONCENTRATION (mg/kg)					MDL (mg/kg)	REQUIRED LIMIT (mg/kg)
	13	19	20	21	24		
Di-2-ethylhexyl phthalate (DEHP)	ND	ND	ND	ND	ND	30	1000
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	30	1000
Benzylbutyl phthalate (BBP)	ND	ND	ND	ND	ND	30	1000
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	30	1000

ITEM \ SAMPLE No.	SAMPLE CONCENTRATION (mg/kg)					MDL (mg/kg)	REQUIRED LIMIT (mg/kg)
	29	30	31	32	35		
Di-2-ethylhexyl phthalate (DEHP)	ND	ND	ND	ND	ND	30	1000
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	30	1000
Benzylbutyl phthalate (BBP)	ND	ND	ND	ND	ND	30	1000
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	30	1000


ITEM \ SAMPLE No.	SAMPLE CONCENTRATION (mg/kg)				MDL (mg/kg)	REQUIRED LIMIT (mg/kg)
	36	37	41	43		
Di-2-ethylhexyl phthalate (DEHP)	ND	ND	ND	ND	30	1000
Dibutyl phthalate (DBP)	ND	ND	ND	ND	30	1000
Benzylbutyl phthalate (BBP)	ND	ND	ND	ND	30	1000
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	30	1000

Note: MDL = Method Detection Limit, ND=not detected (<Method Detection Limit).


Appearance photograph of EUT




Appearance photograph of EUT




Appearance photograph of EUT




Appearance photograph of EUT




Appearance photograph of EUT




Appearance photograph of EUT



Appearance photograph of EUT



Appearance photograph of EUT



List of apparatus

No.	Name	Model	Calibration Valid Date	USE(√)
1	ICP-OES	VISTA-MPX	2026/06/28	√
2	GC-MS	5975i	2026/06/16	√
3	UV-Vis	Lambda 25	2026/06/16	√
4	XRF	EDX3000B	2026/06/22	√

***** END OF REPORT *****

Statement:

1. The test report is considered invalidated without approval signature.
2. The result(s) shown in this report refer only to the sample(s) tested.
3. Without written approval of SIT, this report can't be reproduced except in full.
4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which SIT hasn't verified.