

SUSTAINABILITY DECLARATION



Item number
MO9219-03

Item description

4.2 wireless shower speaker with suction holder on the reverse side. 1 rechargeable Li-ION 300 mAh battery included. Output data: 3W, 4 Ohm.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Magnet	Internal	Magnetite	30,65%
2	White Plastic shell	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	26,98%
3	Silvery metal cover of loudspeaker	Internal	Iron	14,52%
4	Transparent suction cup	External	Poly Vinyl Chloride (PVC)	9,49%
5	USB connector jacket	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	4,38%
6	USB cable	External	Poly Vinyl Chloride (PVC)	4,24%
7	Gray button key	External	Poly Vinyl Chloride (PVC)	3,41%
8	Printed Circuit Boards	Internal	Printed Circuit Boards	2,87%
9	Micro USB connector jacket	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	0,96%
10	Micro USB connector shield	External	Iron	0,96%
11	USB connector shield	External	Iron	0,77%
12	Rechargeable Battery	Internal	See Part II	0,77%
			Total	100,00%

Part II	Component description	Position	Material	Weight Percentage
1	Cobalt lithium dioxide	Rechargeable Battery	Cobalt lithium dioxide	40-45%
2	Graphite	Rechargeable Battery	Graphite	20-23%
3	Copper	Rechargeable Battery	Copper	6-8%
4	Carbon black	Rechargeable Battery	Carbon black	4-5%
5	Aluminium	Rechargeable Battery	Aluminium	3-5%
6	Carbonic acid, ethyl methyl ester	Rechargeable Battery	Carbonic acid, ethyl methyl ester	2-3%
7	Lithium hexafluorophosphate(1-)	Rechargeable Battery	Lithium hexafluorophosphate(1-)	2-3%
8	Nickel	Rechargeable Battery	Nickel	2-3%
9	Polyvinylidene fluoride	Rechargeable Battery	Polyvinylidene fluoride	2-3%
			Sum	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC , TPE, LDPE, TPR, EVA, Polyester, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO9219-06

Item description

4.2 wireless shower speaker with suction holder on the reverse side. 1 rechargeable Li-ION 300 mAh battery included. Output data: 3W, 4 Ohm.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Magnet	Internal	Magnetite	30,65%
2	White Plastic shell	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	26,98%
3	Silvery metal cover of loudspeaker	Internal	Iron	14,52%
4	Transparent suction cup	External	Poly Vinyl Chloride (PVC)	9,49%
5	USB connector jacket	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	4,38%
6	USB cable	External	Poly Vinyl Chloride (PVC)	4,24%
7	Gray button key	External	Poly Vinyl Chloride (PVC)	3,41%
8	Printed Circuit Boards	Internal	Printed Circuit Boards	2,87%
9	Micro USB connector jacket	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	0,96%
10	Micro USB connector shield	External	Iron	0,96%
11	USB connector shield	External	Iron	0,77%
12	Rechargeable Battery	Internal	See Part II	0,77%
			Total	100,00%

Part II	Component description	Position	Material	Weight Percentage
1	Cobalt lithium dioxide	Rechargeable Battery	Cobalt lithium dioxide	40-45%
2	Graphite	Rechargeable Battery	Graphite	20-23%
3	Copper	Rechargeable Battery	Copper	6-8%
4	Carbon black	Rechargeable Battery	Carbon black	4-5%
5	Aluminium	Rechargeable Battery	Aluminium	3-5%
6	Carbonic acid, ethyl methyl ester	Rechargeable Battery	Carbonic acid, ethyl methyl ester	2-3%
7	Lithium hexafluorophosphate(1-)	Rechargeable Battery	Lithium hexafluorophosphate(1-)	2-3%
8	Nickel	Rechargeable Battery	Nickel	2-3%
9	Polyvinylidene fluoride	Rechargeable Battery	Polyvinylidene fluoride	2-3%
			Sum	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC , TPE, LDPE, TPR, EVA, Polyester, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
MO9219-12

Item description

4.2 wireless shower speaker with suction holder on the reverse side. 1 rechargeable Li-ION 300 mAh battery included. Output data: 3W, 4 Ohm.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Magnet	Internal	Magnetite	30,65%
2	White Plastic shell	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	26,98%
3	Silvery metal cover of loudspeaker	Internal	Iron	14,52%
4	Transparent suction cup	External	Poly Vinyl Chloride (PVC)	9,49%
5	USB connector jacket	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	4,38%
6	USB cable	External	Poly Vinyl Chloride (PVC)	4,24%
7	Gray button key	External	Poly Vinyl Chloride (PVC)	3,41%
8	Printed Circuit Boards	Internal	Printed Circuit Boards	2,87%
9	Micro USB connector jacket	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	0,96%
10	Micro USB connector shield	External	Iron	0,96%
11	USB connector shield	External	Iron	0,77%
12	Rechargeable Battery	Internal	See Part II	0,77%
			Total	100,00%

Part II	Component description	Position	Material	Weight Percentage
1	Cobalt lithium dioxide	Rechargeable Battery	Cobalt lithium dioxide	40-45%
2	Graphite	Rechargeable Battery	Graphite	20-23%
3	Copper	Rechargeable Battery	Copper	6-8%
4	Carbon black	Rechargeable Battery	Carbon black	4-5%
5	Aluminium	Rechargeable Battery	Aluminium	3-5%
6	Carbonic acid, ethyl methyl ester	Rechargeable Battery	Carbonic acid, ethyl methyl ester	2-3%
7	Lithium hexafluorophosphate(1-)	Rechargeable Battery	Lithium hexafluorophosphate(1-)	2-3%
8	Nickel	Rechargeable Battery	Nickel	2-3%
9	Polyvinylidene fluoride	Rechargeable Battery	Polyvinylidene fluoride	2-3%
			Sum	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC , TPE, LDPE, TPR, EVA, Polyester, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director