

SUSTAINABILITY DECLARATION



Item number
MO9588-06

Item description

Wireless charging weather station / touch sensor alarm clock with nightlight. AC-DC 2 pin plug adapter included. Not for UK use. Output: DC5V/1.0A. Compatible latest androids, iPhone® 8 and above.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Shell	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	20,00%
2	Printed Circuit Boards	Inside	Printed Circuit Boards	15,00%
3	Printed Circuit Boards	Inside	Printed Circuit Boards	10,00%
4	Display cover	External	Glass	8,00%
5	Black sheet	Inside	Magnetite	8,00%
6	Battery	External	See Part II	8,00%
7	Coil	Inside	Sleeves: Fibre (53.33%) Conductor: Copper (46.67%)	5,00%
8	AC adaptor - Enclosure	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	5,00%
9	Cable	External	Polyvinyl Chloride (PVC)	5,00%
10	Shell	External	Acrylonitrile 1,3-Butadiene Styrene (ABS)	3,00%
11	White soft plastic pad	External	Silica gel, reaction products with N,N,N-trimethyl-3-(trimethoxysilyl)-1-propanaminium iodide (1:1)	2,00%
12	White soft plastic pad	External	Silica gel, reaction products with N,N,N-trimethyl-3-(trimethoxysilyl)-1-propanaminium iodide (1:1)	2,00%
13	Buzzer	Inside	Acrylonitrile 1,3-Butadiene Styrene (ABS)	2,00%
14	patch glue	Inside	Glue	2,00%
15	Metal screw	Inside	Iron	1,00%
16	cable	Inside	Polyvinyl Chloride (PVC)	1,00%
17	Yellow tape	Inside	Polyethylene Terephthalate (PET)	1,00%
18	silver metal pins	External	Copper	1,00%
19	USB connector shield	External	iron(90%) Nickel(10%)	1,00%
			Total	100,00%

Part II	Component description	Position	Material	Weight Percentage
1	Stainless steel	Battery	Stainless steel	50,50%
2	Manganese dioxide	Battery	Manganese dioxide	30,99%
3	Lithium perchlorate	Battery	Lithium perchlorate	4,00%
4	Polypropylene (PP)	Battery	Polypropylene (PP)	3,76%
5	Propylene carbonate	Battery	Propylene carbonate	3,00%
6	Polytetrafluoroethylene	Battery	Polytetrafluoroethylene	2,17%
7	Graphite	Battery	Graphite	2,17%
8	Lithium	Battery	Lithium	1,91%
9	1,2-dimethoxyethane	Battery	1,2-dimethoxyethane	1,50%
			Sum	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS , VI, Silicone, POM, ACR, PU, PC, PVC , TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Cotton sourced & processed

Country of origin	-
Country of processing	-

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	0	27	Y	0	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director